




TEREX | COMEDIL

Gru a torre "Flat Top"

"Flat Top" Tower Crane • Grue à tour "Flat Top"

"Flat Top" Turmdrehkran • Grua torre "Flat Top"



FEM 1.001 A3

THE **ULTIMATE** CRANE™

Dati illustrativi non impegnativi
Con riserva di modifica senza preavviso

Angaben und Beschreibung unverbindlich
Änderungen vorbehalten ohne weitere Mitteilung

Specifications and data not binding
Subject to modification without notice

Dibujos y datos sin compromiso
Modificaciones reservadas sin preaviso

Données techniques seulement indicatives
Modifications réservées sans préavis

UTE.DOC. REV.002

CTT 721-32 HD23



CTT 721-32

Diagramma di portata
Load Diagram


I
GB

Courbes de charges
Lastkurven

F
D

Curvas de cargas

E



16 t	-	27.79 m
16 t	-	27.36 m
32 t	-	14.70 m
16 t	-	31.75 m
16 t	-	31.20 m
32 t	-	16.70 m
16 t	-	34.64 m
16 t	-	34.00 m
32 t	-	18.16 m
16 t	-	37.33 m
16 t	-	36.61 m
32 t	-	19.52 m
16 t	-	41.96 m
16 t	-	41.10 m
32 t	-	21.86 m
16 t	-	43.21 m
16 t	-	42.30 m
32 t	-	22.48 m
16 t	-	44.59 m
16 t	-	43.62 m
32 t	-	23.17 m
16 t	-	40 m
16 t	-	40 m
32 t	-	23.35 m

m

CTT 721-32													
20	25	30	35	40	45	50	55	60	65	70	75	80	85
16,00	16,00	14,66	12,26	10,48	9,11	8,01	7,12	6,38	5,76	5,22	4,76	4,36	4,00
16,00	16,00	14,35	11,94	10,14	8,75	7,65	6,75	6,00	5,37	4,83	4,37	3,96	3,60
22,30	17,08	13,65	11,24	9,44	8,05	6,95	6,05	5,30	4,67	4,13	3,67	3,26	2,90
16,00	16,00	16,00	14,33	12,29	10,73	9,48	8,46	7,61	6,90	6,29	5,76	5,30	
16,00	16,00	16,00	13,99	11,95	10,36	9,11	8,08	7,23	6,51	5,90	5,36	4,90	
25,99	20,04	16,14	13,39	11,35	9,76	8,51	7,48	6,63	5,91	5,30	4,76	4,30	
16,00	16,00	16,00	15,82	13,61	11,90	10,54	9,43	8,51	7,74	7,07	6,50		
16,00	16,00	16,00	15,48	13,25	11,53	10,17	9,05	8,13	7,35	6,68	6,10		
28,67	22,20	17,97	14,98	12,75	11,03	9,67	8,55	7,63	6,85	6,18	5,60		
16,00	16,00	16,00	16,00	14,82	12,98	11,52	10,33	9,35	8,51	7,80			
16,00	16,00	16,00	16,00	14,45	12,61	11,14	9,95	8,95	8,12	7,40			
31,13	24,19	19,65	16,44	14,05	12,21	10,74	9,55	8,55	7,72	7,00			
16,00	16,00	16,00	16,00	16,00	14,81	13,17	11,84	10,73	9,80				
16,00	16,00	16,00	16,00	16,00	14,43	12,79	11,45	10,34	9,40				
32,00	27,55	22,46	18,87	16,20	14,13	12,49	11,15	10,04	9,10				
16,00	16,00	16,00	16,00	16,00	15,30	13,61	12,24	11,10					
16,00	16,00	16,00	16,00	16,00	14,92	13,22	11,85	10,70					
32,00	28,44	23,20	19,50	16,74	14,62	12,92	11,55	10,40					
16,00	16,00	16,00	16,00	16,00	15,84	14,10							
16,00	16,00	16,00	16,00	16,00	15,45	13,70							
32,00	29,41	24,00	20,18	17,34	15,15	13,40							
16,00	16,00	16,00	16,00	16,00									
16,00	16,00	16,00	16,00	16,00									
32,00	32,00	27,57	23,23	17,50									

Altre installazioni
Other configurations

I
GB

Autres implantations
Aufstellmöglichkeiten

F
D

Otras implantaciones


E



Gru climbing
Bottom climbing crane
Télescopage sur dalles
Kletterkrane im Gebäude
Telescopage grua trepadora

I
GB
F
D
E

HD23 26.6	
m	
A min	I
C min	
H max	
x	
y	



Gru ancorata
Crane tied to the structure
Grue ancrée
Geankerter Kran
Grúa anclada

I
GB
F
D
E

HD23 R ₁ HD23 R ₂	
m	
A min/max	I
B min/max	
C max	
H max	

I

Consultateci

I

Consult us

GB

Nous consulter

F

Auf Anfrage

D

Consultarnos

E



CTT 721-32

Torre
Tower






I
GB

Tour
Turm

F
D

Mástil
E

HD23



H	Altezza massima sotto gancio	I
●	In servizio	
◆	Fuori servizio	
🏠	A vuoto, senza zavorra, braccio max., altezza max.	
H	Max. under hook height	GB
●	In service	
◆	Out of service	
🏠	Without load, without ballast, max. jib and max. height	
H	Hauteur maxi. sous crochet	F
●	En service	
◆	Hors service	
🏠	A vide, sans lest, avec flèche et hauteur maximum	
H	Höchste Hackenhöhe	D
●	In Betrieb	
◆	Außer Betrieb	
🏠	Ohne Last und Ballast, mit Maximalausleger und Maximalhöhe	
H	Maxima altura bajo gancho	E
●	En servicio	
◆	Fuera de servicio	
🏠	Sin carga, sin lastre, con pluma y altura máxima	

**CTT 721-32****Meccanismi** **I****Mechanisms** **GB****Mécanismes** **F****Antriebe** **D****Mecanismos** **E**

	SRWB 102 160/5	225 * kVA	400 V - 50 Hz
	SRWB 122 160/5	242 * kVA	460 V - 60 Hz
	110 AWL 160	218 * kVA	400 V - 50 Hz / 460 V - 60 Hz
			2000/14/CE

* Gru senza traslazione / Crane without travelling equipment / Grue sans translation / Krane ohne Schienenfahren / Grúa sin traslación

			m/min	t	kW	
	SRWB 102 160/5 50 Hz		0 ⇌ 32	16	102	600 m
			0 ⇌ 50	10		
			0 ⇌ 80	6		
			0 ⇌ 125	3.5		
			0 ⇌ 16	32		
			0 ⇌ 25	20		
			0 ⇌ 40	12		
			0 ⇌ 63	7		
	SRWB 122 160/5 60 Hz		0 ⇌ 38	16	122	600 m
			0 ⇌ 60	10		
			0 ⇌ 96	6		
			0 ⇌ 150	3.5		
			0 ⇌ 19	32		
			0 ⇌ 30	20		
			0 ⇌ 48	12		
			0 ⇌ 76	7		
	110 AWL 160 LLC D1		0 ⇌ 26	16	110	340 m
			0 ⇌ 36	11.3		
			0 ⇌ 50	8.1		
			0 ⇌ 69	5.6		
			0 ⇌ 80	0.8		
			0 ⇌ 13	32		
			0 ⇌ 18	22.6		
			0 ⇌ 25	16.2		
			0 ⇌ 35	11.2		
			0 ⇌ 40	1.6		

	DVF 5 15	0 ⇌ 95 m/min	15 kW
	SSR 4 4 80	0.73 r.p.m.	4 × 80 Nm
	▲ TSR 4RG 4M8	12 ⇌ 24 m/min (50 Hz) 14 ⇌ 28 m/min (60 Hz)	4 × 80 Nm
	● TVF 4RT 8M11	0 ⇌ 24 m/min	8 × 11 kW
	i		

	▲	●
	Max. H [m]	
T₁	54.5	> 54.5
P₁	-	49.5

	Sollevamento I	Hoisting GB	Levage F	Heben D	Elevación E
	Traslazione carrello	Trolleying	Distribution	Katzfahren	Distribución
	Rotazione	Slewing	Orientation	Schwenken	Orientación
	Traslazione	Travelling	Translation	Schienenfahren	Traslación
	Direttiva sul livello acustico	Directive on noise level	Directive sur le niveau acoustique	Richtlinie für den Schall-Leistungspegel	Directiva sobre el nivel acustico
	Consultateci	Consult us	Nous consulter	Auf Anfrage	Consultarnos
	Potenza totale richiesta	Power requirements	Puissance totale nécessaire	Geforderte Stromstärke	Potencia necesaria
	Alimentazione	Power supply	Alimentation	Stromversorgung	Alimentación

Gru Comedil s.r.l.

A Terex Company

Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy
Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631Internet e-mail: info@comedil.com
Internet home page: www.comedil.com**Divisione Automontanti**Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy
Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034

Internet e-mail: info.CBR@comedil.com